



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/527,417

03/11/2005

Shinichi Sakane

10873.1627USWO

4760

52835

7590

03/10/2009

HAMRE, SCHUMANN, MUELLER & LARSON, P.C.

P.O. BOX 2902

MINNEAPOLIS, MN 55402-0902

EXAMINER

FOREMAN, JONATHAN M

ART UNIT

PAPER NUMBER

3736

MAIL DATE

DELIVERY MODE

03/10/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/527,417	Applicant(s) SAKANE ET AL.	
	Examiner JONATHAN ML FOREMAN	Art Unit 3736	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12/12/08.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) 12-18 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>5/27/05 and 9/22/06</u> . | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 3736

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statements filed 5/27/05 and 9/22/06 comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609. They have been placed in the application file, and the information referred to therein has been considered by the examiner as to the merits.

Election/Restrictions

2. Applicant's election of Group I in the reply filed on 12/12/08 is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)). Accordingly, claims 12 – 18 have been withdrawn from consideration.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 2 and 5 – 11 rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,291,054 to Thomas et al. in view of U.S. Patent Application Publication No. 2002/0082524 to Anderson et al.

In regard to claims 1, 2 and 5 – 11, Thomas et al. disclose a fluororesin coating layer formed on a metal surface (Col. 9, lines 10 - 14) wherein particulate matter is present in the fluororesin coating layer (Col. 2, lines 67 - Col. 3, line 2), and the fluororesin coating and the particulate matter are baked as a single unit (Col. 8, lines 61 - 63; and wherein the fluororesin coating layer covers the

Art Unit: 3736

particulate matter and at least some of the particulate matter is formed in surface protrusion-shaped projections (Col. 3, lines 2 – 6, 22 – 27). Thomas et al. disclose a primer layer being further formed within the fluororesin coating layer; wherein particulate matter is present in at least one layer selected from the primer layer and the fluororesin coating layer; and wherein the fluororesin coating layer of the outermost layer covers the particulate matter and at least some of the particulate matter is formed in surface protrusion-shaped projections (Col. 4, lines 31 – 40). The thickness of the fluororesin coating layer is at least 1 μm and not more than 50 μm (Col. 3, line 36). The average height of the projections is at least 0.1 μm and not more than 20 μm (Col. 2, line 33). The fluororesin coating layer surface has a mixture of flat portions and numerous protrusion-shaped projections (Figure 1). The density of the protrusion-shaped projections is at least and average of 1 per 0.01 mm^2 (Col. 4, lines 60 – 64). Thomas et al. disclose the particulate matter being present in the primer layer (Col. 4, lines 31 – 40), and the particulate matter is fluororesin or a heat-resistant substance having a higher melting point than the fluororesin coating layer (Col. 7, lines 32 – 36; Col. 8, lines 37 – 41). The particulate matter is at least one selected from the group consisting of glass particles, metal particles, plastic particles, inorganic particles, and ceramic particles (Col. 7, lines 32 – 36; Col. 8, lines 37 – 41). The average particle diameter of the particulate matter is at least the film thickness of the primer layer, and the average particle diameter is in a range of 0.5 to 30 μm (Col. 3, lines 14 – 16; Col. 4, lines 43 – 41). Thomas et al. disclose the substrate being any material such as metal and stainless steel (Col. 9, lines 10 – 14), but fails to disclose the substrate being a metal guide wire having a uniform thickness or a tapered tip. Anderson et al. disclose a guide wire formed of metal having a uniform thickness or a tapered tip (Figure 4) having any fluoropolymer coating [0019]. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the substrate disclosed by Thomas et al. to be a metal guide wire as taught by

Art Unit: 3736

Anderson et al. in order to produce a guide wire having a durable, non-stick coating with superior abrasion resistance (Col. 2, lines 8 - 9).

5. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,291,054 to Thomas et al. in view of U.S. Patent No. as applied to claim 1 above, and further in view of U.S. Patent Application Publication No. 2002/0172829 to Mori et al.

In regard to claims 3 and 4, Thomas et al. disclose the fluororesin coating layer including at least one of selected from the group consisting of polytetrafluoroethylene (PTFE), tetrafluoroethylene-perfluoroalkylvinyl ether copolymer (PFA), polychlorotrifluoroethylene (PCTFE), polyvinylidene fluoride (PVDF), polyvinyl fluoride (PVF), tetrafluoroethylene-hexafluoropropylene copolymer (FEP), and tetrafluoroethylene-ethylene copolymer (PETFE) (Col. 4, line 66 – Col. 5, line 19) and the particulate matter being a variety of materials (Col. 8, lines 37 – 41). However, Thomas et al. fail to disclose the particulate matter being a fluororesin. Mori et al. disclose a coating layer including particulate matter, wherein the particulate matter is a fluororesin selected from the group consisting of polytetrafluoroethylene (PTFE), tetrafluoroethylene-perfluoroalkylvinyl ether copolymer (PFA), polychlorotrifluoroethylene (PCTFE), polyvinylidene fluoride (PVDF), polyvinyl fluoride (PVF), tetrafluoroethylene-hexafluoropropylene copolymer (FEP), and tetrafluoroethylene-ethylene copolymer (PETFE) [0051][0055]. The claims would have been obvious because a particular known technique was recognized as part of the ordinary capabilities of one skilled in the art. It would have been obvious to one having ordinary skill in the art at the time of the invention to apply the technique of using a fluororesin particulate as taught by Mori et al. for the predictable result of forming surface protrusions in the coating for abrasion resistance. Furthermore, it would have been obvious to one having ordinary skill in the art at the

Art Unit: 3736

time the invention was made to use a fluoro-resin particulate as taught by Mori et al. to allow for continued friction reduction in the event that a particle protrudes out of the coating.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JONATHAN ML FOREMAN whose telephone number is (571)272-4724.

The examiner can normally be reached on Monday - Friday 8:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571)272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. M. F./
Examiner, Art Unit 3736

/Max Hindenburg/
Supervisory Patent Examiner, Art Unit 3736